

# **SURVEILLANCE VEHICLES FOR PRIVATE INVESTIGATORS**



## **DACIA DOKKER MODEL / MODIFIED INTERIOR**



Project by:  
Technical support:

Dorel Brähler - Romagent International Investigation Romania  
Videocomponents GmbH Neumünster Germany



## Main technical components:



(front, back, left and right)

1/2,8" 4in1 2MP Cubic-HD-Kamera, 74° Obj. **1milliLux**, 36x36mm, OSD, UTC, 12V DC



1/2,8" 2MP CMOS AHD T/N-High-Speed-Dome, **36x**, 66-2,4°, UTC, OSD, Privatz., RS485, IP66, 12V DC



1/1,8" 2MP IP Modul, **38x Zoom**, HDMI output, H.265, **Sony IMX385** CMOS, 12V DC



8-Kanal 5in1 Rekorder (AHD, TVI, CVI, Analog, IP) **4K**, **HDMI**, 8xIP, Audio, RS485, 8x Alarm, inkl. Netzteil



23,8"/60,5cm LED-Farbmonitor, Audio, VGA, HDMI, **1920x1080**, 90-264V AC, schwarzes Rahmendesign



Hyb. **Thermokamera**, 50 mm, IP+FBAS, 420x315 Pixel, PoE, 40mK, **Person recognition bis 450m** mit 50mm Objektiv



The Nikon P900: The New King of the Superzooms

The Nikon Coolpix P900 is Nikon's latest ultra-zoom camera, and features the World's longest optical zoom lens, with an **83x optical zoom**



**Military Laptop GETAC B300 I7 4/250 GB Shockproof**, Dustproof, Ultra Rugged, Active Touchscreen, Wifi+BT, HDMI, PCMCIA, Express Card 54



HackRF One is a Software Defined Radio peripheral capable of **transmission or reception of radio signals from 1 MHz to 6 GHz**. Designed to enable test and development of modern and next generation radio technologies, HackRF One is an open source hardware platform that can be used as a USB peripheral or programmed for stand-alone operation.



**Anti-interception technology** for the security of your phone conversations. XCell Stealth Phones are the most advanced technology that provides a fully active protection against any kind of GSM interception performed by active, semi active or passive interception systems.



The thermal video camera is removable. It is mounted in the bag with battery and monitor. It becomes portable for searching people for over 6 hours.







Video Camera Control



GSM control of the system

Front stand for the super zoom camera



# Driver control monitor







The surveillance car can be used by staff  
Through the GSM router, the whole system can be operated remotely  
The car can be parked in Berlin and controlled from Bucharest  
Additional power supply system 12V - 140 Ah



спасибо    danke 謝謝    ngiyabonga  
teşekkür ederim  
dank je    gracias    tapadh leat  
huala    mauruuru  
bedankt    mochchakkeram  
dziękuje    thank you  
sagolun    sukriya    kop khun krap    go raibh maith agat  
obrigado    terima kasih    grazie    arigatō    takk    dakujem  
감사합니다    ευχαριστώ    merci    мерси